


Kalstein A different accompaniment, at your service

LABORATORY LINES LAMINAR FLOW CABINETS





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S





OUR SERVICES

Benefits and Support

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



Online Inductions and Trainings

In any part of the world, receive your induction or training from our specialized team of engineers



Quick Response

Our work team is always available to response all your consults or questions, in order to support you in any situation.





#Letsgivemore 💗

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



Technical Support

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.





Delivery Logistics

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.



Horizontal Laminar Flow Cabinet

Serie YR05266-1





Modern manufacturing processes:

✓ Sheet metal parts use laser cutting and CNC bending technology. Cold-rolled sheets use three line of acidification anti-rust technology. Incubator surface use workmanship of spraying plastics

Easy to clean

- The early effect of the filter core and the air inlet stencil a shape, facilitate regular on the early effect of filter element folding loading and cleaning.
- ✓ The polished design of the work surface as a whole, without pits, no dead ends on both sides, and a minimum of stitching design, easy to clean and disinfect.

Convenient maintenance

- Removable combination tripod, easy to transport and move, Stand height adjustable.
- Eversion design of the front control panel to facilitate the electrical components, maintenance and replacement.
- ✓ In order to make the device able to achieve long-term cleanliness requirements, it is recommended to the early effect of the equipment and high efficiency filter in use for some time to clean or replace.

Applicable in the field of protection of biotechnology, pharmaceutical, life sciences and precision electronic products. YR series clean bench combined with perfect airflow mechanical design for the operator to create a partial purification work environment so that experiments can be carried out smoothly. CE certification, two years warranty period.

Product Introduction

- ✓ Integrated LCD dot matrix LCD display, real-time display the status of lighting, sterile, air flow and other parameters.
- ✓ User-friendly design, with sterilization, lighting, interlock functions to protect the operator from UV light burns and ensure safe operation.
- ✓ Wind speed multi-level adjustable, the air volume can be adjusted according to the user.

CLEANFLOW™ clean air technology:

- Centrifugal wind wheel low-power motor, based on airflow mechanics principle, arc-shaped large-diameter inlet design to reduce turbulence generated to ensure low noise operation of the system.
- Reasonable duct design, optimized net press box, with micro-mesh design layer outflow wind deflector, convex, no dead ends, to ensure the uniformity and stability of the airflow.
- ✓ Standard early-efficient and efficient double-filter, primary filter to avoid airflow dust particles to enter and extend the life of high efficiency filter. High efficiency filter without clapboard HEPA, retention efficiency of 99.99%.
- ✓ According to the customer's requirements, CLEANFLOWTM series with the vertical flow and horizontal airflow

Ergonomically designed

- The front overall tilt design, low noise operation, increase operation comfort.
- Operating room standard with gas water interface, splashproof power outlet to facilitate the experiments carried out smoothly.
- ✓ With weight up and down sliding front door, can be anchored.
- ✓ Built-in lighting system to provide the best illumination angle and brightness, reduce visual fatigue.
- On both sides of translucent double-glazed side windows, to enhance the light permeability, and non-convex design of the work area, no death and no spoiler design.
- ✓ The platform using an anti-corrosion resistance of SUS304 stainless steel plate forming the front of the arc-shaped design and increase operator comfort.



#Letsgivemore



Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S



Horizontal Laminar Flow Cabinet

Serie YR05266-1





	VP05000.4			
Model	YR05266-1			
Cleanliness Rating	The international ISO 14644.1 standard, CLASS 5 (U.S. Federal 209E, 100 level)			
Wind Speed	0.3~0.6m/s(Adjustable)			
Noise (dB)	≤62			
Vibration half peak	≤3µm (X, Y, Z direction)			
High efficiency filter	Efficiency 99.99%			
Illumination (LX)	≥300			
Work environment	Ambient temperature 10~30°C, Relative humidity			
	below 70%, No obvious vibration and dust around			
Overall size (mm)(H×W×D)	1585×990×735			
Inner size (mm)(H×W×D)	500×830×550			
Voltage(V)/	AC220V/50Hz			
Power (W)	200			
Net weight (KG)	120			
Shipping weight(KG)	130			
Packing size(mm) (H×W×D)	1030×1180×855			








Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S







#Letsgivemore 💛

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu


KALSTEIN FRANCE, S.A.S



CLEANFLOW ™ clean air technology









Horizontal layer airflow (JHP series)




Mesh ddesign wind board



No maintenance high efficiency fan system



Airflow uniform and stable technology



High efficiency filter system

Air cleanliness class			More than or equal to maximun density limit value Of particle diameter in the form(pc/m')					
International units	Imperial units	0.1µm	0.2µm	0.3µm	0.5µm			
ISO Class 1	**	10	2		**		**	
ISO Class 2	**	100	24	10	4	40	***	
ISO Class 3	1Class	1000	237	102	35	8		
ISO Class 4	10Class	10000	2370	1020	352	83	**	
ISO Class 5	100Class	100000	23700	10200	3520	832	29	
ISO Class 6	1000Class	1000000	237000	102000	35200	8320	293	
ISO Class 7	10000Class				352000	832000	2930	
ISO Class 8	100000Class		**.	44.	3520000	8320000	29300	
ISO Class 9	44.		E 0	**	35200000	83200000	293000	

Classification of air cleanliness of international standard ISO14644-1



#Letsgivemore

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu





SANGMA[™] microcomputer control technology LCD large screen Display working state Lllumination switch Sterilization switch Fan switch Airflow controller Ergonomic design Water source, gas interface Splash proof power socket Front tilting design Built-in light system Weight-balance up and down sliding front door Desktop arc design Maintenance is convenient Clean and convenient





Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



Operation chart:





Press the set button





Set time and temperature

(Select up and down key)

Set up to complete

Automatic operation of the machine, arrive time will be automatic alarm, and then stop running.

Scope





Pharmaceuticals



Life sciences



Precision electronic



Tissue culture



#Letsgivemore 💛

Thanks to your purchase, a donation is made to a non-profit foundation that fights against cancer and helps vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S







#LETSGIVEMORE >

WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org



biomédicale

https://www.humatem.org/



https://www.maniapurefoundation.org/



ANY DOUBT? Contact us!

Articles Kalstein

(Social Networks and Official Websites)







Article of the week: How does the climate affect your microscope?

Read more on Kalstein's social medias or official websites





Article of the week: What is the importance of the laboratory refrigerator?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles



PARIS - FRANCE HEADQUARTER

2 Rue Jean Lantier 75001 Paris - France

Tlf: +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu

https://kalstein.eu/ https://www.kalstein.fr/




(Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes

445 views • 1 week ago

