

# LABORATORY LINES MICROSCOPE











# OUR SERVICES **Benefits and Support**


In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



### **Online Inductions and** Trainings In any part of the world, receive your induction or training from our specialized team of engineers



# **Quick Response** response all your consults or







### #Letsgivemore 💚 Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



# **Technical Support**

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.



### **Delivery Logistics** We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



# Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.





# **KALSTEIN®** Microscope

Inverted Fluorescent Microscope, Manual, Semi-APO, BF+PH+FL, DF/PL/DIC

# Model YR0A16.1096





### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



CE

All rights reserved © KALSTEIN France S. A. S.,

YR0A16.1096 **Inverted Laboratory** Microscope, Semi-Auto, Semi-APO, BF+PH YR0A16.1096 Inverted Biological Microscope, Semi-Auto, Semi-APO, BF+PH, LCD Ø Touch Screen Ø YR0A16.1096 **Inverted Fluorescent** Microscope, Manual, Semi-APO, BF+PH+FL, DF/PL/DIC Ø 0 K YR0A16.1096 Inverted Fluorescent Microscope, Manual, Semi-APO, BF+PH+FL, DF/PL/DIC, LCD **Touch Screen** 



### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



All rights reserved © KALSTEIN France S. A. S.,



# **4.3" LCD Information Touch Screen** (YR0A16) In Front of Main Body, For Easy Watch & Control in The Dark Working Condition.

- --Show Objectives In Use In Nosepiece
- --Show Cubes In Use In Multi Function Turret
- --Brightness Memorize & Restore Function
- --Touch To Adjust Brightness
- --Touch To Set The System



# ♦ Fluorescent Viewing

The compact epi-fluorescent components includes noise elimination feature which ensuresimages captured are bright, with high contrast and high signal-to-noise ratio.



### #Letsgivemore 💚

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.




All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



All rights reserved © KALSTEIN France S. A. S.,

# **Product Details**



Trinocular Head With Built-in Bertrand LensThebbilt-in bertrand lens can observe thepupilf the objective lens when moving into theth, andlight paact as a centering telescope

Flexible Transmit Illuminator With retroverted Illuminator, thereby ensurispace fo operation and sample exchange





Lon Working Distance Turret Condenser LW turret structure, with 6 positions forse pha contrast annulus, DIC annulus, & brig ht field view, meets various test needs.denser con N.A.0.55, W.D.26mm



### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities. Ø

All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



All rights reserved © KALSTEIN France S. A. S.,



Tranmit/Reflect Illumination Switch KnobTheIlumination control knobs to switch transmit / orescent reflectepi-flillumination are located on the side of main body, for easyrightoperation

Medial Changeable Lens With built-in turret structure, 1x and 1.5x lens c n be changed accordingly







### #Letsgivemore 💜

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



All rights reserved © KALSTEIN France S. A. S.,



## Fluorescent Turret

Fluorescence excitation module turntable type: easier and more flexible It adopts multifunctional six-station turntable structure: it can be easily taken out from the host, and it is convenient to replace various fluorescence excitation modules



Flu o rescent mercury lamp power box The intelligent fluorescent mercury lamp power boxts airado cooled design, with low noise and stable volt ge. The unique automatic memory usage time and down time shu can ensure that the mercury lamp is fullyed to the greatest extent, protect the life of the mer ury lamp, and improve the mechanical efficiency





## Simple And Fast Operation, Iris Slider

Reflective field diaphragm, aperture diaphragm and filter plate, three different types of diaphragm sliders show the versatility of A16.1090 in in vivo cell research. When the aperture diaphragm and the fluorescence filter insert are used together, the fluorescence intensity can be adjusted to the most ideal according to the selected fluorescence module and objective lens



#Letsgivemore 💚

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.




All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S




All rights reserved © KALSTEIN France S. A. S.,


# MICROSCOPE



All rights reserved © KALSTEIN France S. A. S.,


# MICROSCOPE







**#Letsgivemore** Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEN FRANCE, S. A. S




All rights reserved © KALSTEIN France S. A. S.,

# **Modular Design**



# Bright field observation

Unique infinity optical system, combined with semi-apochromatic fluorescent objective lens, effectively eliminates field curvature, chromatic aberration, spherical aberration, coma and other imaging problems, the image is brighter, all magnifications can achieve higher super-resolution and flat type





# #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.

All rights reserved © KALSTEIN France S. A. S.,




All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



## Phase contrast observation

Phase contrast is an optical contrast technology that uses a phase contrast objective lens and acondenser ring. The highefficiency halogen lamp can provide a bright light source and obtain clear images even at high magnification



# ◆ DIC

It is a very cost-effective optical technology. It does not require expensive optical components. Therelief contrast only uses a brightfield objective lens and two phase contrast adjustment sliders. For thicker samples, such as induced pluripotent stem cells, DIC can provide

Three-dimensional glare-free images, while the use of traditional phase contrast observationmethods usually appear halo. In addition, DIC can use glass petri dishes, which is a very practical observation technique.



# **Product Accessories**

# Loading Pallet

**Stage Holders** 





**#Letsgivemore** Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.

All rights reserved © KALSTEIN France S. A. S.,



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



# MICROSCOPE

# Adapter

Provide 0.4x, 0.5x, 1x C-Mount for users to choose, usedto connect camera, camera and other image acquisition systems



# A5C.1098 N-iPLFN PH Infinity Plan Semi-APO Phase Contrast Objective

Multi-layer coating technology, semi-apochromatic objective lens can compensate sphericalaberration and chromatic aberration from ultraviolet to

near infrared. The 20x and 40x semi-apochromatic objectives have a built-in correction ring that can correctfor poor coverage caused by nonstandard cover glass thickness. Highly sensitive fluorescence performance ensures the sharpness, clarity and color reproduction of collected images

# Mercury Light Source


The standard osram 100W HBO ultra-high pressure spherical mercury lamp has large fluorescentbrightness and uniform field of view.At the same time, a closing gate is set at the front end of the vertical illuminator, which can cut off the fluorescent lighting at any time to protect the sample



# LED Light Source

# 4-color LED light source, adju Metal Halide Light Source

tional 75W metal halide light source, bulb life up to 2000 hours. The light ensity is greater, the field of view is brighter and uniform



tens of thousands of hours. Low phototoxicity and high friendliness to fine samples such as cells, which solves the problems of traditionalmercury lamp fluorescence that require preheating, cooling, and high temperature during use





#Letsaivemore 🔍 Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.

All rights reserved © KALSTEIN France S. A. S.,



All rights reserved ® KALSTEIN France S. A. S 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



# **Software Function**






With high speed USB3.0 digital camera and professional image processing software, Opto-Edu microscope can workwith computer to get various adavanced function done easily. Real Time / Static Measure, 2D Image Scan & Stitching, 3DDepth of Field Fusion, Fluorescent ImageSynthesis, Cell Counting and etc


# ◆2D Image Scan & Stitching

By collecting and importing images in real time, the software can quickly stitchtogether to form a large-size and high- resolution image




# ◆ 3D Depth Of Field Fusion

Users can collect multiple images with different focal lengths by fine-tuning thefocal length, and synthesize one imagefor output. Suitable for specimens that require a certain depth of field or poorlymade sections




# Real Time / Static Measure

In cell observation and section observation, you need to use the measurement function. To determine the cell size, cell gap, synapse length and other data. The software can provide measurement of distance, angle, rectangle, circle, ellipse, etc.




# Cell Counting

Customize cell counting requirements, automatically count and count the shape information of cells, including: size, location, volume, circumference, brightness, etc. And all data including processed images can be saved asexcel sheet



# Fluorescent Image Synthesis

By collecting or importing images of different fluorescence channels, users can obtain images after fluorescence synthesis. For the image of eachchannel, the displacement in the x direction and y direction can be adjusted to achieve the finetuningeffect





### #Letsgivemore 💜 Thanks to your purchase, a donation will

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.

All rights reserved © KALSTEIN France S. A. S.,



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier · 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



# **Product Specification**

Resea	rch Level Inverted Biological Microscope	YR0A16.1096 Biological	YR0A16.1096 Biological	YRA16.1096 Fluorescent	YR0A16.1096	YR0A16.1096 Full Auto
Optical Sustem	NIS60 Infinite Optical System, Semi-APO	•	- Diological		Fluorescent	•
System Observation	Bright Field	•	•		-	-
Method	Dark Field	•	•	•	•	•
	Phase Contrast	•	•	•	•	•
	Polarizing	•	0	•	•	•
	Fluorescent	0	0	•	•	•
	DIC	0	0	0	0	0
LCD Screen	<ul> <li>4.3" LCD Information Touch Screen In Front of MainBody, For Easy Use in Dark Working Condition.</li> <li>Show Objectives In Use In Nosepiece</li> <li>Show Cubes In Use In Multi Function Turret</li> <li>Brightness Memorize &amp; Restore Function</li> <li>Touch To Adjust Brightness</li> <li>Touch To Set The System</li> </ul>	-	•	-	•	0
Head	Seidentopf Trinocular Head, Inclined 45°, Interpupillary Distance 47- 78mm, Ligth Split Switch E100:P0/E20:P80/E0:P100, With Built-in Bertrand Lens Which Can Be Used As Centering Telescope	•	•	•	•	•
Eyepiece	SW10x/25mm, High Eyepoint, Diopter Adjustable, Dia.30mm	0	0	0	0	0
	SW10x/22mm, High Eyepoint, Diopter Adjustable, Dia.30mm	•	•	•	•	•
	EW12.5x/17.5mm, High Eyepoint, Diopter Adjustable, Dia.30mm	0	0	0	0	0
	WF15x/16mm, High Eyepoint, Diopter Adjustable, Dia.30mm	0	0	0	0	0
	WF20x/12mm, High Eyepoint, Diopter Adjustable, Dia.30mm	0	0	0	0	0
Media Lens	Built-in Media Lens Turret 1.0x, 1.5x, UnderNosepiece	•	•	•	•	-
	Built-in Media Lens Turret 1.0x, 1.5x. CF, UnderNosepiece	-	-	-	-	•
Nosepiece	Manual Sextuple Nosepiece, With DIC Slot	•	-	•	-	-
	Coded Manual Sextuple Nosepiece, With DIC Slot Motorized Coded Manual Sextuple Nosepiece, WithDIC Slot, With Objective Protection Function When Switch The Objectives	-	-	-	-	•
N-iPLFN PH	4x/0.13, W.D.16.5mm, No Cover Glass	0	0	0	0	0
Infinity Plan	10x/0.30, W.D.7.4mm, Cover Glass 1.2mm	•	•	•	•	•
Semi-APO Phase	20x/0.45, W.D.7.5-8.8mm, Cover Glass 0-2mm,With Built- in Correct Ring	•	•	•	•	•
Contrast Objective	40x/0.6, W.D.3-4.4mm, Cover Glass 0-2mm,With Built-in Correct Ring	•	•	•	•	•
	60x/0.75, W.D.1.8-2.6mm, Cover Glass 0.1-1.3mm,With Built- in Correct Ring	0	0	0	0	0
Focusing	Coaxial Coarse & Fine Focusing, Focusing Range9mm (Up 7mm, Down 2mm), Coarse Stroke 2mm, Fine Stroke 0.2mm	•	•	•	•	-
	Motorized Z Axies (Optical Grating Type) FocusingSystem, Focusing Range 9mm (Up 7mm, Down 2mm), Focusing Resolution 0.02um With Optical Grating, Movement Repeat Positioning Accuracy +/-0.1um, Prevent Stage Fall Down Function	-	-	-	-	•
Working Stage	Three Layer Mechanical Stage, Moving Range 130x85mm, Flexible Knob, Available For DifferentSize Small Stage Mounted on Top Layer	•	•	•	•	-
	Dia.38mm Holder For Slide & Petri Dish	•	•	•	•	-
	Dia.54mm Holder For Petri Dish	•	•	•	•	-
	96 Holes Plate Holder	•	•	•	•	-
	Terasaki Holder	•	•	•	•	-
	Universal Holder	•	•	•	•	-



#Letsgivemore 💚 Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast

cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., All rights reserved to KALSTEIN Praines 5. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



All rights reserved © KALSTEIN France S. A. S.,

# **Product Specification**

Researc	ch Level Inverted Biological Microscope	YROA16.1096 Biological	YR0A16.1096 Biological	VR0A16.1096	5 YR0A16.1096 Fluorescent	VR0A16.1096
Working Stage	Motorized X/Y Axies (Optical Grating Type) Mechanical Stage, Size 325x144mm, Moving Range 130x100mm, Max Speed 10mm/s, Resolution 0.1um, Repeat Accuracy +/- 0.5um, Available For Different Size Small Stage Mounted on Top Layer, With Separate Communication/MainControl Box & Stick		-		-	•
	Dia.38mm Holder For Slide & Petri Dish	-	-	-	-	•
	Dia.54mm Holder For Petri Dish 96 Holes Plate Holder	-	-	-	-	•
Condenser	Long Working Distance Turret Condenser, N.A.0.55,	•	•	•	•	-
	W.D.26mm, With 6 Positions For Phase Contrast Annulus, DIC Annulus, And Bright Field View					
	Motorized Long Working Distance Turret Condenser, N.A.0.55, W.D.26mm, With 6 PositionsFor Phase Contrast Annulus, DIC Annulus, And Bright Field View	-	-	-	-	•
Multi Function Turret	Multi Function Turret Under Nosepiece, With 6 Positions For Cubes Of Bright Field, Dark Field,Phase Contrast, Polarizing, Fluorescent View, Turning The Disc To Easily Switch Observation Methods	•	•	•	-	-
	Coded Multi Function Turret Under Nosepiece, With6 Positions For Cubes Of Bright Field, Dark Field, Phase Contrast, Polarizing, Fluorescent View, Turning The Disc To Easily Switch Observation Methods	-	-	-	•	-
	<b>Motorized</b> Coded Multi Function Turret Under Nosepiece, With 6 Positions For Cubes Of BrightField, Dark Field, Phase Contrast, Polarizing, Fluorescent View, Turning The Disc To Easily Switch Observation Methods	-	-	-	-	•
Dark Field	Dark Field Block, Put In Multi Function Turret, For Reflect Light Source	0	0	0	0	0
Polarizing For	Polarizer Filter On LWD Turret Condenser	0	0	0	0	0
TransmitLight	Analyzer Slide, Insert Into Slot On Nosepiece, 360°Rotatable	0	0	0	0	0
Polarizing For	Polarizer Light Block, Put In Multi Function Turret	0	0	0	0	0
Reflect Light	Circularly Polarized Light Block, Put In MultiFunction Turret	0	0	0	0	0
Phase Contrast	Phase Contrast Annulus 10x/20x, Put In Turret Condenser	•	•	•	•	•
oontrade	Phase Contrast Annulus 40x, Put In Turret Condenser	•	•	•	•	•
	Phase Contrast Annulus 60x, Put In Turret Condenser	0	0	0	0	0
DIC	DIC Full Set, For A14.109, A16.109 Series Reflect DIC Slider 5-20x, 20x-100x Transmit DIC Sliders Polarizing Analyizer	0	0	0	0	0
Illumniation	Transmit/Reflect Illumination Switch Knob, On RightSide Of Main Body, Press To Switch Transmit And Reflect Switch Light Quickly	•	•	•	•	•
Transmit Light Source	12V100W Halogen Kohler Illumination, BrightnessAdjustable, Flexible Illuminator Body Can Retrovert From Optical Path For Large Space of Operation And Sample Exchange	•	•	•	•	•
	10W S-LED Kohler Illumination, Brightness Adjustable	0	0	0	0	0
Reflect	Large Filter Holder Slide With 3 Holes	0	0	•	•	•
Light Source	Field Diaphragm Slide, Center Adjustable,	0	0	•	•	•
	Small Empty Slide	0	0	•	•	•
	Aperture Diaphragm Slide Neutral Filter	0	0	•	•	•



**#Letsgivemore** Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.




All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S




All rights reserved © KALSTEIN France S. A. S.,


Resea	rch Level Inverted Biological Microscope	YROA16.1096 Biological	YR0A16.1096 Biological	YR0A16.1096 Fluorescent	YR0A16.1096 Fluorescent	YROA16.1096 Full Auto
Reflect Fluorescent Light Source	Reflect 100W Osram Mercury HBO FluorescentLight House Intelligent Power Supply Control Box With Barrier To Stop/Recover Fluorescent Illumination Quickly	0	0	•	•	•
	10W S-LED Fluorescent Light, 4 Color Bands, Brightness Adjustable By Control Box	0	0	0	0	0
	75W Metal Halide Light Source, Life Time 2000Hours	0	0	0	0	0
	Fluorescent Filter B Block, Put In Multi FunctionTurret	0	0	•	•	•
	Fluorescent Filter G Block, Put In Multi FunctionTurret	0	0	•	•	•
	Fluorescent Filter U Block, Put In Multi FunctionTurret	0	0	•	•	•
	Fluorescent Filter V Block, Put In Multi FunctionTurret	0	0	0	0	0
Metallurgical	Upgrade To <u>A13.1096</u> Inverted Metallurgical Microscope	0	0	0	0	0
Adapter	3 Camera Ports, On Both Side Of Main Body AndHead, Turret Switch Between: Trinocular Port Switch E100:P0/E20:P80/E0:P100 Left Port C-Mount 1.0x E0:P100 Right Port C-Mount 1.0x E20:P80	•	•	•	•	•
	C-Mount 0.4x	0	0	0	0	0
	C-Mount 0.5x	0	0	0	0	0
	C-Mount 1.0x	•	•	•	•	•
Software	NOMIS Basic Image Processiing Software	0	0	0	0	0
Note:"  "In Tab	le Is Standard Outfits,"o" Is Optional Accessories "-" Is Unavailable					





# System Diagram & Size(mm)






MICROSCOPE

### #Letsgivemore 💚

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities. All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu KALSTEIN FRANCE, S. A. S



All rights reserved © KALSTEIN France S. A. S.,



Multifunctional Module

All rights reserved © KALSTEIN France S. A. S.,

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast

cancer and helps most vulnerable communities.

#Letsgivemore 💗

All rights reserved ® KALSTEIN France S. A. S.,

2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 •

https://kalstein.eu

KALSTEIN FRANCE, S. A. S





#LETSGIVEMORE

WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org







ANY DOUBT? Contact us!

### Articles Kalstein (Social Networks and Official Websites)



Kalstein Blog

The 3 articles of the week!







# Kalstein Blog

Article of the week: How does the climate affect your microscope?



# Kalstein Blog

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles

Article of the week: What is the importance of the laboratory refrigerator?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles



PARIS - FRANCE H E A D Q U A R T E R 2 Rue Jean Lantier 75001 Paris - France

Tlf: +33 (0) 01 78 95 87 89 Cel: +33 (0) 6 80 76 07 10 sales@kalstein.eu


https://kalstein.eu/ https://www.kalstein.fr/

## Kalstein Training Videos (Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes 445 views • 1 week ago

